

PRODUCT / PROCESS CHANGE NOTIFICATION

Generic Announcement

PCN#2509001 • DATE: 10th September, 2025

PCN Subject: Additional Assembly Site for Package SOT-23 Products

• **PCN Change Category:**

- ☒ **Material**

 ☐ **Process**

 ☐ **Data sheet / Specification**
☐ **Reliability**
☒ **Others (Additional Assembly Site)**

• **Description of Change Purpose or Reason:**


In order to respond to customer requirements, PANJIT will qualify PANJIT Semiconductor (Xuzhou) Co., Ltd. (located in Jiangsu Province, China) as an alternate assembly and test site for selected SOT-23 products.

PANJIT Semiconductor (Xuzhou) Co., Ltd. has developed mature production capabilities for SOT-23 products, which will enhance our supply and service capabilities. Products manufactured at PANJIT Semiconductor (Xuzhou) Co., Ltd. are form, fit, and function compatible with those from the currently qualified sites.


As part of the qualification process for PANJIT Semiconductor (Xuzhou) Co., Ltd., suppliers of key materials used in production, including the lead frame, die attach process, wire, epoxy molding compound, carrier tape, and ending tape, have also been qualified to ensure consistent quality and performance. For more details, please refer to the change information below.

We recommend that you acknowledge receipt of this notification within 30 days of this PCN date. If you require samples for further evaluation, please feel free to contact your local sales representative and make a request. We are always pleased to serve you at any time.


● **Change Information:**

Comparison			Table 1	
			Current	Add
Assembly Site			PANJIT International Inc.	PANJIT Semiconductor (Xuzhou) Co., Ltd.
Production Site Location			Kaohsiung, Taiwan	Xuzhou, China
Package			SOT-23	
Material	Lead Frame	Material	Copper Alloy 42	Alloy 42 (Full Cu Plating)
	Die Attach	Process	Eutectic	
	Wire	Material / Diameter (mil)	Cu / 1.0 mil Cu / 1.5 mil	
	Epoxy Molding Compound	Product Name	EME-G600FL ELER-8-500C	GR640HV-Series
	Ending Tape	Material	Polyester	Paper
		Color	Black	Yellow
	Plastic Reel			
				
Form	Marking Format		 Add bar “-” for new assembly site	


● **Change Information:**

Comparison			Table 2	
			Current	Add
Assembly Site			PANJIT International Inc.	PANJIT Semiconductor (Xuzhou) Co., Ltd.
Production Site Location			Kaohsiung, Taiwan	Xuzhou, China
Package			SOT-23	
Material	Lead Frame	Material	Copper Alloy 42	Alloy 42 (Full Cu Plating)
	Die Attach	Process	Eutectic	
	Wire	Material / Diameter (mil)	Au / 0.8 mil Au / 1.0 mil Au & Cu / 1.0mil	Cu / 0.8 mil Cu / 1.0 mil Cu / 1.0 mil
	Epoxy Molding Compound	Product Name	EME-G600FL ELER-8-500C	GR640HV-Series
	Ending Tape	Material	Polyester	Paper
		Color	Black	Yellow
	Plastic Reel			
Form	Marking Format			 Add bar "-" for new assembly site

● **Change Information:**

Comparison			Table 3	
			Current	Add
Assembly Site			PANJIT International Inc.	PANJIT Semiconductor (Xuzhou) Co., Ltd.
Production Site Location			Kaohsiung, Taiwan	Xuzhou, China
Package			SOT-23	
Material	Lead Frame	Material	Copper Alloy 42	Alloy 42 (Full Cu Plating)
	Die Attach	Process	Eutectic	
	Wire	Material / Diameter * Number	Cu / 2.4 mil * 2	Cu / 1.5 mil * 3
	Epoxy Molding Compound	Product Name	EME-G600FL ELER-8-500C	GR640HV-Series
	Ending Tape	Material	Polyester	Paper
		Color	Black	Yellow
	Plastic Reel			
Form	Marking Format		 Add bar “-” for new assembly site	

● **Change Information:**

Comparison	Current	Add
Assembly Site	PANJIT International Inc.	PANJIT Semiconductor (Xuzhou) Co., Ltd.
Carrier Tape		
Symbol (mm)	Dimension	Dimension
Ao	3.18 ± 0.10	3.15 ± 0.10
Bo	2.76 ± 0.10	2.77 ± 0.10
Cd	0.15 MAX	0.20 MAX

- **Verification /Qualification Data:**

The electrical characterization and high reliability testing have been completed on representative part numbers to ensure there is no change to device functionality or electrical specifications in the datasheet. There will be no change to the Form, Fit, or Function of products affected.

- **Effective Date** : 10th December, 2025

• **Affected Product Type:**

Table 1					
Current Material / Diameter	Add Material / Diameter	Function: MOSFET			
Cu / 1.0 mil	Cu / 1.0 mil	2N7002	BSS123	PJA138K	PJA138KA
		PJA3426	PJA3428	PJA3434	PJA3435
		PJA3436	PJA3438	PJA3439	PJA3472B
		PJA3476	PJA7002H		
Current Material / Diameter	Add Material / Diameter	Function: SCHOTTKY			
Cu / 1.0 mil	Cu / 1.0 mil	BAS40	BAS40A	BAS40C	BAS40S
		BAS70	BAS70A	BAS70C	BAS70S
		BAT400D	BAT54	BAT54A	BAT54AH
		BAT54A-L	BAT54C	BAT54CH	BAT54C-L
		BAT54-L	BAT54S	BAT721C	BAT721S
		BAT750	MMBD301	MMBD452	MMBD717
		MMBD717A	MMBD717C	MMBD717S	RB411D
		RB551V-30TC			
Current Material / Diameter	Add Material / Diameter	Function: ESD Protection			
Cu / 1.0 mil	Cu / 1.0 mil	PE4105C2A	PE4305C2A	PE4309C2A	PE4312C2A
		PE4315C2A	PE4318C2A	PE4322C2A	PE4324C2A
		PE4336C2A	PEC3202C2A	PEC3203C2A	PEC3205C2A
Current Material / Diameter	Add Material / Diameter	Function: ZENER Diodes			
Cu / 1.0 mil	Cu / 1.0 mil	AZ23C10	AZ23C11	AZ23C12	AZ23C13
		AZ23C14	AZ23C15	AZ23C16	AZ23C17
		AZ23C18	AZ23C20	AZ23C22	AZ23C24
		AZ23C27	AZ23C28	AZ23C2V4	AZ23C2V7
		AZ23C30	AZ23C33	AZ23C36	AZ23C39
		AZ23C3V0	AZ23C3V3	AZ23C3V6	AZ23C3V9
		AZ23C43	AZ23C47	AZ23C4V3	AZ23C4V7
		AZ23C51	AZ23C5V1	AZ23C5V6	AZ23C6V2
		AZ23C6V8	AZ23C7V5	AZ23C8V2	AZ23C8V7
		AZ23C9V1	BZX84B10	BZX84B11	BZX84B12
		BZX84B13	BZX84B14	BZX84B15	BZX84B16
		BZX84B17	BZX84B18	BZX84B20	BZX84B22
		BZX84B24	BZX84B27	BZX84B28	BZX84B2V4
		BZX84B2V7	BZX84B3	BZX84B30	BZX84B33
		BZX84B36	BZX84B39	BZX84B3V3	BZX84B3V6
		BZX84B3V9	BZX84B43	BZX84B47	BZX84B4V3
		BZX84B4V7	BZX84B51	BZX84B56	BZX84B5V1
		BZX84B5V6	BZX84B62	BZX84B68	BZX84B6V2
		BZX84B6V8	BZX84B75	BZX84B7V5	BZX84B8V2
		BZX84B8V7	BZX84B9V1	BZX84C10	BZX84C11
		BZX84C12	BZX84C13	BZX84C14	BZX84C15
		BZX84C16	BZX84C17	BZX84C18	BZX84C20
		BZX84C22	BZX84C24		

• **Affected Product Type:**

Table 1					
Current Material / Diameter	Add Material / Diameter	Function: ZENER Diodes			
Cu / 1.0 mil	Cu / 1.0 mil	BZX84C27	BZX84C28	BZX84C2V4	BZX84C2V7
		BZX84C3	BZX84C30	BZX84C33	BZX84C36
		BZX84C39	BZX84C3V3	BZX84C3V6	BZX84C3V9
		BZX84C43	BZX84C47	BZX84C4V3	BZX84C4V7
		BZX84C51	BZX84C56	BZX84C5V1	BZX84C5V6
		BZX84C62	BZX84C68	BZX84C6V2	BZX84C6V8
		BZX84C75	BZX84C7V5	BZX84C8V2	BZX84C8V7
		BZX84C9V1	DZ23C10	DZ23C11	DZ23C12
		DZ23C13	DZ23C14	DZ23C15	DZ23C16
		DZ23C17	DZ23C18	DZ23C20	DZ23C22
		DZ23C24	DZ23C27	DZ23C28	DZ23C2V4
		DZ23C2V7	DZ23C30	DZ23C33	DZ23C36
		DZ23C39	DZ23C3V0	DZ23C3V3	DZ23C3V6
		DZ23C3V9	DZ23C43	DZ23C47	DZ23C4V3
		DZ23C4V7	DZ23C51	DZ23C5V1	DZ23C5V6
		DZ23C6V2	DZ23C6V8	DZ23C7V5	DZ23C8V2
		DZ23C8V7	DZ23C9V1	MMBZ4702-V	MMBZ5221B
		MMBZ5222B	MMBZ5223B	MMBZ5224B	MMBZ5225B
		MMBZ5226B	MMBZ5227B	MMBZ5228B	MMBZ5229A
		MMBZ5229B	MMBZ5230A	MMBZ5230B	MMBZ5231A
		MMBZ5231B	MMBZ5232A	MMBZ5232B	MMBZ5233B
		MMBZ5234A	MMBZ5234B	MMBZ5235A	MMBZ5235B
		MMBZ5236A	MMBZ5236B	MMBZ5237A	MMBZ5237B
		MMBZ5238A	MMBZ5238B	MMBZ5239A	MMBZ5239B
		MMBZ5240A	MMBZ5240B	MMBZ5241A	MMBZ5241B
		MMBZ5242A	MMBZ5242B	MMBZ5243A	MMBZ5243B
		MMBZ5244A	MMBZ5244B	MMBZ5245A	MMBZ5245B
		MMBZ5246A	MMBZ5246B	MMBZ5247A	MMBZ5247B
		MMBZ5248A	MMBZ5248B	MMBZ5249B	MMBZ5250A
		MMBZ5250B	MMBZ5251A	MMBZ5251B	MMBZ5252A
		MMBZ5252B	MMBZ5253A	MMBZ5253B	MMBZ5254A
		MMBZ5254B	MMBZ5255A	MMBZ5255B	MMBZ5256A
		MMBZ5256B	MMBZ5257A	MMBZ5257B	MMBZ5258A
		MMBZ5258B	MMBZ5259A	MMBZ5259B	MMBZ5260A
		MMBZ5260B	MMBZ5261A	MMBZ5261B	MMBZ5262A
		MMBZ5262B			
Current Material / Diameter	Add Material / Diameter	Function: SCHOTTKY			
Cu / 1.5 mil	Cu / 1.5 mil	BAT721AC	SBA0520CA	SBA0530CA	SBA0540CA
Current Material / Diameter	Add Material / Diameter	Function: ESD Protection			
Cu / 1.5 mil	Cu / 1.5 mil	PEC4102C2A	PEC4103C2A	PEC4105C2A	

• **Affected Product Type:**

Table 2					
Current Material / Diameter	Add Material / Diameter	Function: ESD Protection			
Au / 0.8 mil	Cu / 0.8 mil	PE1605C2A			
Current Material / Diameter	Add Material / Diameter	Function: MOSFET			
Au / 1.0 mil	Cu / 1.0 mil	BSS84	PJA138L		
Current Material / Diameter	Add Material / Diameter	Function: Bipolar Junction Transistors			
Au / 1.0 mil	Cu / 1.0 mil	PBHV8050SA			
Current Material / Diameter	Add Material / Diameter	Function: ESD Protection			
Au / 1.0 mil	Cu / 1.0 mil	PE3324C2A	PJMBZ15V	PJMBZ27V	PJSDC15
		PJSOT03	PJSOT05	PJSOT08	PJSOT12
		PJSOT24	PJSOT36		
Current Material / Diameter	Add Material / Diameter	Function: ZENER Diodes			
Au / 1.0 mil	Cu / 1.0 mil	AZ23C5V6P	STZ23C5V6		
Current Material / Diameter	Add Material / Diameter	Function: MOSFET			
Au & Cu / 1.0 mil	Cu / 1.0 mil	2N7002-L	BSS138		

Table 3					
Current Material / Diameter * Number	Add Material / Diameter * Number	Function: SCHOTTKY			
Cu / 2.4 mil * 2	Cu / 1.5 mil * 3	RB491D	RB491DH		

➤ **The reliability test results are summarized below:**

Product reliability test result: PASS

No.	DESCRIPTION	TEST CONDITION	DURATION	FAILURE RATE	
1	High Temperature Reverse Bias (HTRB)	$T_J = T_J \text{ max}, V = 80\%V_R$, DC supply	1000 HOURS	0/77 PCS	3 Lots Pass
2	Temperature Cycling (TCT)	$T_a = -55^\circ\text{C} \sim +150^\circ\text{C}$ (2 cycles / Hour)	1000 CYCLES	0/77 PCS	3 Lots Pass
3	Autoclave (AC)	$T_a = 121^\circ\text{C}$, $P = 15\text{psig}$, 100%RH	96 HOURS	0/77 PCS	3 Lots Pass
4	Intermittent Operational Life (IOL)	$\Delta T_J \geq 100^\circ\text{C}$ Power On: 120 sec Power Off: 120 sec	15000 CYCLES	0/77 PCS	3 Lots Pass
5	High Temperature Storage Test (HTSL)	$T_a = 150^\circ\text{C}$	1000 HOURS	0/77 PCS	3 Lots Pass
6	Resistance to Solder Heat (RSH)	Temperature of solder pot = $260 \pm 5/-0^\circ\text{C}$ Time for dipping in solder = 10 ± 1 Sec	1 CYCLE	0/30 PCS	3 Lots Pass
7	Solderability (SD)	Temperature of solder pot = $245 \pm 5^\circ\text{C}$ Time for dipping in solder = 5 ± 0.5 Sec	1 CYCLE	0/10 PCS	3 Lots Pass
8	High Humidity High Temp. Reverse Bias(H ³ TRB)	$T_a = 85^\circ\text{C} \pm 2^\circ\text{C}$ RH = 85% $\pm 5\%$ $V = 80\%V_R$ DC Supply	1000 HOURS	0/77 PCS	3 Lots Pass
9	Highly Accelerated Stress Test (HAST)	$T_a = 130^\circ\text{C} \pm 2^\circ\text{C}$ RH = 85% $\pm 5\%$ $V = 80\%V_R$	96 HOURS	0/77 PCS	3 Lots Pass
10	High Temperature Gate Bias (HTGB)	$T_J \leq T_J \text{ max}$, 100% V_{GS}	1000 HOURS	0/77 PCS	3 Lots Pass

• **ELECTRICAL CHARACTERISTICS SUMMARY:**

There is no change to the product electrical specifications.

• **SAMPLES REQUEST :**

Contact your local PANJIT sales representative.

• **TECHNICAL CONTACT :**

E-mail: jwchen@panjit.com.tw

• **FOR ANY QUESTIONS CONCERNING THIS NOTIFICATION:**

Contact your local PANJIT sales representative.

• **ADDITIONAL RELIABILITY :**

Contact your local PANJIT sales representative.

• **CHANGED PART IDENTIFICATION :**

The tracking of 1st delivery after change can be identified by production lot number. Please contact your local sales for tracking lot number.

Please refer to below Lot number rule:

Lot number: **5D24XXXXX**.

1st digit "5" denotes Year 2025.

2nd digit "D" denotes December.

3rd and 4th digits denote Day.

Lot number: **5 D 2 4 X X X X X**

1st digit "5" denotes Year 2025.

2nd digit "D" denotes December.

3rd and 4th digits denote Day.

Denotes the production serial number.

Customer Acknowledgement Form

(To be filled out by the customer and returned to HQBU of PANJIT)

The indicated Customer Notification letter was received and acknowledged by the undersigned authority.

Company Name : _____

Customer Name : _____ (Signature) Date : _____

PCN Number : PCN#2509001

Approval for the Product/Process change: ☐Yes ☐No

Comments/Additional requests:

Thanks for your attention to this matter. Please return your acknowledgment form to our local PANJIT sales representative.

Please note that no objection within 30 days upon receiving this notification will be deemed as accepted and agreed with this Process Change Notification.

Function	Package	Type(313類)	MBU1 P/N (341類)	MBU3 P/N料號
MOSFET	SOT-23	2N7002	2N7002_R1_00001	2N7002_R1_00501
MOSFET	SOT-23	2N7002-L	2N7002-L_R1_000A1	2N7002-L_R1_005A1
ZENER	SOT-23	AZ23C10	AZ23C10_R1_00001	AZ23C10_R1_00501
ZENER	SOT-23	AZ23C11	AZ23C11_R1_00001	AZ23C11_R1_00501
ZENER	SOT-23	AZ23C12	AZ23C12_R1_00001	AZ23C12_R1_00501
ZENER	SOT-23	AZ23C13	AZ23C13_R1_00001	AZ23C13_R1_00501
ZENER	SOT-23	AZ23C14	AZ23C14_R1_00001	AZ23C14_R1_00501
ZENER	SOT-23	AZ23C15	AZ23C15_R1_00001	AZ23C15_R1_00501
ZENER	SOT-23	AZ23C16	AZ23C16_R1_00001	AZ23C16_R1_00501
ZENER	SOT-23	AZ23C17	AZ23C17_R1_00001	AZ23C17_R1_00501
ZENER	SOT-23	AZ23C18	AZ23C18_R1_00001	AZ23C18_R1_00501
ZENER	SOT-23	AZ23C20	AZ23C20_R1_00001	AZ23C20_R1_00501
ZENER	SOT-23	AZ23C22	AZ23C22_R1_00001	AZ23C22_R1_00501
ZENER	SOT-23	AZ23C24	AZ23C24_R1_00001	AZ23C24_R1_00501
ZENER	SOT-23	AZ23C27	AZ23C27_R1_00001	AZ23C27_R1_00501
ZENER	SOT-23	AZ23C28	AZ23C28_R1_00001	AZ23C28_R1_00501
ZENER	SOT-23	AZ23C2V4	AZ23C2V4_R1_00001	AZ23C2V4_R1_00501
ZENER	SOT-23	AZ23C2V7	AZ23C2V7_R1_00001	AZ23C2V7_R1_00501
ZENER	SOT-23	AZ23C30	AZ23C30_R1_00001	AZ23C30_R1_00501
ZENER	SOT-23	AZ23C33	AZ23C33_R1_00001	AZ23C33_R1_00501
ZENER	SOT-23	AZ23C36	AZ23C36_R1_00001	AZ23C36_R1_00501
ZENER	SOT-23	AZ23C39	AZ23C39_R1_00001	AZ23C39_R1_00501
ZENER	SOT-23	AZ23C3V0	AZ23C3V0_R1_00001	AZ23C3V0_R1_00501
ZENER	SOT-23	AZ23C3V3	AZ23C3V3_R1_00001	AZ23C3V3_R1_00501
ZENER	SOT-23	AZ23C3V6	AZ23C3V6_R1_00001	AZ23C3V6_R1_00501
ZENER	SOT-23	AZ23C3V9	AZ23C3V9_R1_00001	AZ23C3V9_R1_00501
ZENER	SOT-23	AZ23C43	AZ23C43_R1_00001	AZ23C43_R1_00501
ZENER	SOT-23	AZ23C47	AZ23C47_R1_00001	AZ23C47_R1_00501
ZENER	SOT-23	AZ23C4V3	AZ23C4V3_R1_00001	AZ23C4V3_R1_00501
ZENER	SOT-23	AZ23C4V7	AZ23C4V7_R1_00001	AZ23C4V7_R1_00501
ZENER	SOT-23	AZ23C51	AZ23C51_R1_00001	AZ23C51_R1_00501
ZENER	SOT-23	AZ23C5V1	AZ23C5V1_R1_00001	AZ23C5V1_R1_00501
ZENER	SOT-23	AZ23C5V6	AZ23C5V6_R1_00001	AZ23C5V6_R1_00501
ZENER	SOT-23	AZ23C5V6P	AZ23C5V6P_R1_00001	AZ23C5V6P_R1_00501

ZENER	SOT-23	AZ23C6V2	AZ23C6V2_R1_00001	AZ23C6V2_R1_00501
ZENER	SOT-23	AZ23C6V2	AZ23C6V2_R1_000A2	AZ23C6V2_R1_005A2
ZENER	SOT-23	AZ23C6V8	AZ23C6V8_R1_00001	AZ23C6V8_R1_00501
ZENER	SOT-23	AZ23C7V5	AZ23C7V5_R1_00001	AZ23C7V5_R1_00501
ZENER	SOT-23	AZ23C8V2	AZ23C8V2_R1_00001	AZ23C8V2_R1_00501
ZENER	SOT-23	AZ23C8V7	AZ23C8V7_R1_00001	AZ23C8V7_R1_00501
ZENER	SOT-23	AZ23C9V1	AZ23C9V1_R1_00001	AZ23C9V1_R1_00501
SKY	SOT-23	BAS40	BAS40_R1_00001	BAS40_R1_00501
SKY	SOT-23	BAS40A	BAS40A_R1_00001	BAS40A_R1_00501
SKY	SOT-23	BAS40C	BAS40C_R1_00001	BAS40C_R1_00501
SKY	SOT-23	BAS40S	BAS40S_R1_00001	BAS40S_R1_00501
SKY	SOT-23	BAS70	BAS70_R1_00001	BAS70_R1_00501
SKY	SOT-23	BAS70	BAS70_R1_000A1	BAS70_R1_005A1
SKY	SOT-23	BAS70A	BAS70A_R1_00001	BAS70A_R1_00501
SKY	SOT-23	BAS70C	BAS70C_R1_00001	BAS70C_R1_00501
SKY	SOT-23	BAS70S	BAS70S_R1_00001	BAS70S_R1_00501
SKY	SOT-23	BAT400D	BAT400D_R1_00001	BAT400D_R1_00501
SKY	SOT-23	BAT54	BAT54_R1_00001	BAT54_R1_00501
SKY	SOT-23	BAT54	BAT54_R1_000A3	BAT54_R1_005A3
SKY	SOT-23	BAT54	BAT54_R1_007A4	BAT54_R1_005A4
SKY	SOT-23	BAT54A	BAT54A_R1_00001	BAT54A_R1_00501
SKY	SOT-23	BAT54A	BAT54A_R1_000A3	BAT54A_R1_005A3
SKY	SOT-23	BAT54AH	BAT54AH_R1_000A1	BAT54AH_R1_005A1
SKY	SOT-23	BAT54A-L	BAT54A-L_R1_000A1	BAT54A-L_R1_005A1
SKY	SOT-23	BAT54C	BAT54C_R1_00001	BAT54C_R1_00501
SKY	SOT-23	BAT54C	BAT54C_R1_000A2	BAT54C_R1_005A2
SKY	SOT-23	BAT54C	BAT54C_R1_000A4	BAT54C_R1_005A4
SKY	SOT-23	BAT54C	BAT54C_R1_007A5	BAT54C_R1_005A5
SKY	SOT-23	BAT54CH	BAT54CH_R1_000A1	BAT54CH_R1_005A1
SKY	SOT-23	BAT54C-L	BAT54C-L_R1_000A1	BAT54C-L_R1_005A1
SKY	SOT-23	BAT54-L	BAT54-L_R1_000A1	BAT54-L_R1_005A1
SKY	SOT-23	BAT54S	BAT54S_R1_00001	BAT54S_R1_00501
SKY	SOT-23	BAT54S	BAT54S_R1_007A5	BAT54S_R1_005A5
SKY	SOT-23	BAT721AC	BAT721AC_R1_00001	BAT721AC_R1_00501
SKY	SOT-23	BAT721C	BAT721C_R1_00001	BAT721C_R1_00501

SKY	SOT-23	BAT721S	BAT721S_R1_00001	BAT721S_R1_00501
SKY	SOT-23	BAT750	BAT750_R1_00001	BAT750_R1_00501
SKY	SOT-23	BAT750	BAT750_R1_000A1	BAT750_R1_005A1
MOSFET	SOT-23	BSS123	BSS123_R1_00001	BSS123_R1_00501
MOSFET	SOT-23	BSS138	BSS138_R1_00001	BSS138_R1_00501
MOSFET	SOT-23	BSS138	BSS138_R1_000A1	BSS138_R1_005A1
MOSFET	SOT-23	BSS138	BSS138_R1_000A4	BSS138_R1_005A4
MOSFET	SOT-23	BSS84	BSS84_R1_00001	BSS84_R1_00501
MOSFET	SOT-23	BSS84	BSS84_R1_000A1	BSS84_R1_005A1
ZENER	SOT-23	BZX84B10	BZX84B10_R1_00001	BZX84B10_R1_00501
ZENER	SOT-23	BZX84B11	BZX84B11_R1_00001	BZX84B11_R1_00501
ZENER	SOT-23	BZX84B12	BZX84B12_R1_00001	BZX84B12_R1_00501
ZENER	SOT-23	BZX84B13	BZX84B13_R1_00001	BZX84B13_R1_00501
ZENER	SOT-23	BZX84B14	BZX84B14_R1_00001	BZX84B14_R1_00501
ZENER	SOT-23	BZX84B15	BZX84B15_R1_00001	BZX84B15_R1_00501
ZENER	SOT-23	BZX84B16	BZX84B16_R1_00001	BZX84B16_R1_00501
ZENER	SOT-23	BZX84B17	BZX84B17_R1_00001	BZX84B17_R1_00501
ZENER	SOT-23	BZX84B18	BZX84B18_R1_00001	BZX84B18_R1_00501
ZENER	SOT-23	BZX84B20	BZX84B20_R1_00001	BZX84B20_R1_00501
ZENER	SOT-23	BZX84B22	BZX84B22_R1_00001	BZX84B22_R1_00501
ZENER	SOT-23	BZX84B24	BZX84B24_R1_00001	BZX84B24_R1_00501
ZENER	SOT-23	BZX84B27	BZX84B27_R1_00001	BZX84B27_R1_00501
ZENER	SOT-23	BZX84B28	BZX84B28_R1_00001	BZX84B28_R1_00501
ZENER	SOT-23	BZX84B2V4	BZX84B2V4_R1_00001	BZX84B2V4_R1_00501
ZENER	SOT-23	BZX84B2V4	BZX84B2V4_R1_000A1	BZX84B2V4_R1_005A1
ZENER	SOT-23	BZX84B2V7	BZX84B2V7_R1_00001	BZX84B2V7_R1_00501
ZENER	SOT-23	BZX84B3	BZX84B3_R1_00001	BZX84B3_R1_00501
ZENER	SOT-23	BZX84B30	BZX84B30_R1_00001	BZX84B30_R1_00501
ZENER	SOT-23	BZX84B33	BZX84B33_R1_00001	BZX84B33_R1_00501
ZENER	SOT-23	BZX84B36	BZX84B36_R1_00001	BZX84B36_R1_00501
ZENER	SOT-23	BZX84B39	BZX84B39_R1_00001	BZX84B39_R1_00501
ZENER	SOT-23	BZX84B3V3	BZX84B3V3_R1_00001	BZX84B3V3_R1_00501
ZENER	SOT-23	BZX84B3V6	BZX84B3V6_R1_00001	BZX84B3V6_R1_00501
ZENER	SOT-23	BZX84B3V9	BZX84B3V9_R1_00001	BZX84B3V9_R1_00501
ZENER	SOT-23	BZX84B43	BZX84B43_R1_00001	BZX84B43_R1_00501

ZENER	SOT-23	BZX84B47	BZX84B47_R1_00001	BZX84B47_R1_00501
ZENER	SOT-23	BZX84B4V3	BZX84B4V3_R1_00001	BZX84B4V3_R1_00501
ZENER	SOT-23	BZX84B4V7	BZX84B4V7_R1_00001	BZX84B4V7_R1_00501
ZENER	SOT-23	BZX84B51	BZX84B51_R1_00001	BZX84B51_R1_00501
ZENER	SOT-23	BZX84B56	BZX84B56_R1_00001	BZX84B56_R1_00501
ZENER	SOT-23	BZX84B5V1	BZX84B5V1_R1_00001	BZX84B5V1_R1_00501
ZENER	SOT-23	BZX84B5V6	BZX84B5V6_R1_00001	BZX84B5V6_R1_00501
ZENER	SOT-23	BZX84B62	BZX84B62_R1_00001	BZX84B62_R1_00501
ZENER	SOT-23	BZX84B68	BZX84B68_R1_00001	BZX84B68_R1_00501
ZENER	SOT-23	BZX84B6V2	BZX84B6V2_R1_00001	BZX84B6V2_R1_00501
ZENER	SOT-23	BZX84B6V8	BZX84B6V8_R1_00001	BZX84B6V8_R1_00501
ZENER	SOT-23	BZX84B75	BZX84B75_R1_00001	BZX84B75_R1_00501
ZENER	SOT-23	BZX84B7V5	BZX84B7V5_R1_00001	BZX84B7V5_R1_00501
ZENER	SOT-23	BZX84B8V2	BZX84B8V2_R1_00001	BZX84B8V2_R1_00501
ZENER	SOT-23	BZX84B8V7	BZX84B8V7_R1_00001	BZX84B8V7_R1_00501
ZENER	SOT-23	BZX84B9V1	BZX84B9V1_R1_00001	BZX84B9V1_R1_00501
ZENER	SOT-23	BZX84C10	BZX84C10_R1_00001	BZX84C10_R1_00501
ZENER	SOT-23	BZX84C11	BZX84C11_R1_00001	BZX84C11_R1_00501
ZENER	SOT-23	BZX84C11	BZX84C11_R1_007A1	BZX84C11_R1_005A1
ZENER	SOT-23	BZX84C12	BZX84C12_R1_00001	BZX84C12_R1_00501
ZENER	SOT-23	BZX84C13	BZX84C13_R1_00001	BZX84C13_R1_00501
ZENER	SOT-23	BZX84C14	BZX84C14_R1_00001	BZX84C14_R1_00501
ZENER	SOT-23	BZX84C15	BZX84C15_R1_00001	BZX84C15_R1_00501
ZENER	SOT-23	BZX84C15	BZX84C15_R1_000A2	BZX84C15_R1_005A2
ZENER	SOT-23	BZX84C16	BZX84C16_R1_00001	BZX84C16_R1_00501
ZENER	SOT-23	BZX84C16	BZX84C16_R1_000A2	BZX84C16_R1_005A2
ZENER	SOT-23	BZX84C17	BZX84C17_R1_00001	BZX84C17_R1_00501
ZENER	SOT-23	BZX84C18	BZX84C18_R1_00001	BZX84C18_R1_00501
ZENER	SOT-23	BZX84C18	BZX84C18_R1_007A1	BZX84C18_R1_005A1
ZENER	SOT-23	BZX84C20	BZX84C20_R1_00001	BZX84C20_R1_00501
ZENER	SOT-23	BZX84C22	BZX84C22_R1_00001	BZX84C22_R1_00501
ZENER	SOT-23	BZX84C24	BZX84C24_R1_00001	BZX84C24_R1_00501
ZENER	SOT-23	BZX84C27	BZX84C27_R1_00001	BZX84C27_R1_00501
ZENER	SOT-23	BZX84C28	BZX84C28_R1_00001	BZX84C28_R1_00501
ZENER	SOT-23	BZX84C2V4	BZX84C2V4_R1_00001	BZX84C2V4_R1_00501

ZENER	SOT-23	BZX84C2V7	BZX84C2V7_R1_00001	BZX84C2V7_R1_00501
ZENER	SOT-23	BZX84C3	BZX84C3_R1_00001	BZX84C3_R1_00501
ZENER	SOT-23	BZX84C30	BZX84C30_R1_00001	BZX84C30_R1_00501
ZENER	SOT-23	BZX84C33	BZX84C33_R1_00001	BZX84C33_R1_00501
ZENER	SOT-23	BZX84C36	BZX84C36_R1_00001	BZX84C36_R1_00501
ZENER	SOT-23	BZX84C39	BZX84C39_R1_00001	BZX84C39_R1_00501
ZENER	SOT-23	BZX84C3V3	BZX84C3V3_R1_00001	BZX84C3V3_R1_00501
ZENER	SOT-23	BZX84C3V3	BZX84C3V3_R1_007A1	BZX84C3V3_R1_005A1
ZENER	SOT-23	BZX84C3V6	BZX84C3V6_R1_00001	BZX84C3V6_R1_00501
ZENER	SOT-23	BZX84C3V9	BZX84C3V9_R1_00001	BZX84C3V9_R1_00501
ZENER	SOT-23	BZX84C43	BZX84C43_R1_00001	BZX84C43_R1_00501
ZENER	SOT-23	BZX84C47	BZX84C47_R1_00001	BZX84C47_R1_00501
ZENER	SOT-23	BZX84C4V3	BZX84C4V3_R1_00001	BZX84C4V3_R1_00501
ZENER	SOT-23	BZX84C4V7	BZX84C4V7_R1_00001	BZX84C4V7_R1_00501
ZENER	SOT-23	BZX84C4V7	BZX84C4V7_R1_007A1	BZX84C4V7_R1_005A1
ZENER	SOT-23	BZX84C51	BZX84C51_R1_00001	BZX84C51_R1_00501
ZENER	SOT-23	BZX84C56	BZX84C56_R1_00001	BZX84C56_R1_00501
ZENER	SOT-23	BZX84C5V1	BZX84C5V1_R1_00001	BZX84C5V1_R1_00501
ZENER	SOT-23	BZX84C5V1	BZX84C5V1_R1_007A1	BZX84C5V1_R1_005A1
ZENER	SOT-23	BZX84C5V6	BZX84C5V6_R1_00001	BZX84C5V6_R1_00501
ZENER	SOT-23	BZX84C62	BZX84C62_R1_00001	BZX84C62_R1_00501
ZENER	SOT-23	BZX84C68	BZX84C68_R1_00001	BZX84C68_R1_00501
ZENER	SOT-23	BZX84C6V2	BZX84C6V2_R1_00001	BZX84C6V2_R1_00501
ZENER	SOT-23	BZX84C6V8	BZX84C6V8_R1_00001	BZX84C6V8_R1_00501
ZENER	SOT-23	BZX84C6V8	BZX84C6V8_R1_000A3	BZX84C6V8_R1_005A3
ZENER	SOT-23	BZX84C75	BZX84C75_R1_00001	BZX84C75_R1_00501
ZENER	SOT-23	BZX84C7V5	BZX84C7V5_R1_00001	BZX84C7V5_R1_00501
ZENER	SOT-23	BZX84C8V2	BZX84C8V2_R1_00001	BZX84C8V2_R1_00501
ZENER	SOT-23	BZX84C8V7	BZX84C8V7_R1_00001	BZX84C8V7_R1_00501
ZENER	SOT-23	BZX84C9V1	BZX84C9V1_R1_00001	BZX84C9V1_R1_00501
ZENER	SOT-23	DZ23C10	DZ23C10_R1_00001	DZ23C10_R1_00501
ZENER	SOT-23	DZ23C11	DZ23C11_R1_00001	DZ23C11_R1_00501
ZENER	SOT-23	DZ23C12	DZ23C12_R1_00001	DZ23C12_R1_00501
ZENER	SOT-23	DZ23C13	DZ23C13_R1_00001	DZ23C13_R1_00501
ZENER	SOT-23	DZ23C14	DZ23C14_R1_00001	DZ23C14_R1_00501

ZENER	SOT-23	DZ23C15	DZ23C15_R1_00001	DZ23C15_R1_00501
ZENER	SOT-23	DZ23C16	DZ23C16_R1_00001	DZ23C16_R1_00501
ZENER	SOT-23	DZ23C17	DZ23C17_R1_00001	DZ23C17_R1_00501
ZENER	SOT-23	DZ23C18	DZ23C18_R1_00001	DZ23C18_R1_00501
ZENER	SOT-23	DZ23C20	DZ23C20_R1_00001	DZ23C20_R1_00501
ZENER	SOT-23	DZ23C22	DZ23C22_R1_00001	DZ23C22_R1_00501
ZENER	SOT-23	DZ23C24	DZ23C24_R1_00001	DZ23C24_R1_00501
ZENER	SOT-23	DZ23C27	DZ23C27_R1_00001	DZ23C27_R1_00501
ZENER	SOT-23	DZ23C28	DZ23C28_R1_00001	DZ23C28_R1_00501
ZENER	SOT-23	DZ23C2V4	DZ23C2V4_R1_00001	DZ23C2V4_R1_00501
ZENER	SOT-23	DZ23C2V7	DZ23C2V7_R1_00001	DZ23C2V7_R1_00501
ZENER	SOT-23	DZ23C30	DZ23C30_R1_00001	DZ23C30_R1_00501
ZENER	SOT-23	DZ23C33	DZ23C33_R1_00001	DZ23C33_R1_00501
ZENER	SOT-23	DZ23C36	DZ23C36_R1_00001	DZ23C36_R1_00501
ZENER	SOT-23	DZ23C39	DZ23C39_R1_00001	DZ23C39_R1_00501
ZENER	SOT-23	DZ23C3V0	DZ23C3V0_R1_00001	DZ23C3V0_R1_00501
ZENER	SOT-23	DZ23C3V3	DZ23C3V3_R1_00001	DZ23C3V3_R1_00501
ZENER	SOT-23	DZ23C3V6	DZ23C3V6_R1_00001	DZ23C3V6_R1_00501
ZENER	SOT-23	DZ23C3V9	DZ23C3V9_R1_00001	DZ23C3V9_R1_00501
ZENER	SOT-23	DZ23C43	DZ23C43_R1_00001	DZ23C43_R1_00501
ZENER	SOT-23	DZ23C47	DZ23C47_R1_00001	DZ23C47_R1_00501
ZENER	SOT-23	DZ23C4V3	DZ23C4V3_R1_00001	DZ23C4V3_R1_00501
ZENER	SOT-23	DZ23C4V7	DZ23C4V7_R1_00001	DZ23C4V7_R1_00501
ZENER	SOT-23	DZ23C51	DZ23C51_R1_00001	DZ23C51_R1_00501
ZENER	SOT-23	DZ23C5V1	DZ23C5V1_R1_00001	DZ23C5V1_R1_00501
ZENER	SOT-23	DZ23C5V6	DZ23C5V6_R1_00001	DZ23C5V6_R1_00501
ZENER	SOT-23	DZ23C6V2	DZ23C6V2_R1_00001	DZ23C6V2_R1_00501
ZENER	SOT-23	DZ23C6V8	DZ23C6V8_R1_00001	DZ23C6V8_R1_00501
ZENER	SOT-23	DZ23C7V5	DZ23C7V5_R1_00001	DZ23C7V5_R1_00501
ZENER	SOT-23	DZ23C8V2	DZ23C8V2_R1_00001	DZ23C8V2_R1_00501
ZENER	SOT-23	DZ23C8V7	DZ23C8V7_R1_00001	DZ23C8V7_R1_00501
ZENER	SOT-23	DZ23C9V1	DZ23C9V1_R1_00001	DZ23C9V1_R1_00501
SKY	SOT-23	MMBD301	MMBD301_R1_00001	MMBD301_R1_00501
SKY	SOT-23	MMBD452	MMBD452_R1_00001	MMBD452_R1_00501
SKY	SOT-23	MMBD717	MMBD717_R1_00001	MMBD717_R1_00501

SKY	SOT-23	MMBD717A	MMBD717A_R1_00001	MMBD717A_R1_00501
SKY	SOT-23	MMBD717C	MMBD717C_R1_00001	MMBD717C_R1_00501
SKY	SOT-23	MMBD717S	MMBD717S_R1_00001	MMBD717S_R1_00501
ZENER	SOT-23	MMBZ4702-V	MMBZ4702-V_R1_00001	MMBZ4702-V_R1_00501
ZENER	SOT-23	MMBZ5221B	MMBZ5221B_R1_00001	MMBZ5221B_R1_00501
ZENER	SOT-23	MMBZ5222B	MMBZ5222B_R1_00001	MMBZ5222B_R1_00501
ZENER	SOT-23	MMBZ5223B	MMBZ5223B_R1_00001	MMBZ5223B_R1_00501
ZENER	SOT-23	MMBZ5224B	MMBZ5224B_R1_00001	MMBZ5224B_R1_00501
ZENER	SOT-23	MMBZ5225B	MMBZ5225B_R1_00001	MMBZ5225B_R1_00501
ZENER	SOT-23	MMBZ5226B	MMBZ5226B_R1_00001	MMBZ5226B_R1_00501
ZENER	SOT-23	MMBZ5227B	MMBZ5227B_R1_00001	MMBZ5227B_R1_00501
ZENER	SOT-23	MMBZ5228B	MMBZ5228B_R1_00001	MMBZ5228B_R1_00501
ZENER	SOT-23	MMBZ5229A	MMBZ5229A_R1_00001	MMBZ5229A_R1_00501
ZENER	SOT-23	MMBZ5229B	MMBZ5229B_R1_00001	MMBZ5229B_R1_00501
ZENER	SOT-23	MMBZ5230A	MMBZ5230A_R1_00001	MMBZ5230A_R1_00501
ZENER	SOT-23	MMBZ5230B	MMBZ5230B_R1_00001	MMBZ5230B_R1_00501
ZENER	SOT-23	MMBZ5231A	MMBZ5231A_R1_00001	MMBZ5231A_R1_00501
ZENER	SOT-23	MMBZ5231B	MMBZ5231B_R1_00001	MMBZ5231B_R1_00501
ZENER	SOT-23	MMBZ5232A	MMBZ5232A_R1_00001	MMBZ5232A_R1_00501
ZENER	SOT-23	MMBZ5232B	MMBZ5232B_R1_00001	MMBZ5232B_R1_00501
ZENER	SOT-23	MMBZ5233B	MMBZ5233B_R1_00001	MMBZ5233B_R1_00501
ZENER	SOT-23	MMBZ5234A	MMBZ5234A_R1_00001	MMBZ5234A_R1_00501
ZENER	SOT-23	MMBZ5234B	MMBZ5234B_R1_00001	MMBZ5234B_R1_00501
ZENER	SOT-23	MMBZ5235A	MMBZ5235A_R1_00001	MMBZ5235A_R1_00501
ZENER	SOT-23	MMBZ5235B	MMBZ5235B_R1_00001	MMBZ5235B_R1_00501
ZENER	SOT-23	MMBZ5236A	MMBZ5236A_R1_00001	MMBZ5236A_R1_00501
ZENER	SOT-23	MMBZ5236B	MMBZ5236B_R1_00001	MMBZ5236B_R1_00501
ZENER	SOT-23	MMBZ5237A	MMBZ5237A_R1_00001	MMBZ5237A_R1_00501
ZENER	SOT-23	MMBZ5237B	MMBZ5237B_R1_00001	MMBZ5237B_R1_00501
ZENER	SOT-23	MMBZ5237B	MMBZ5237B_R1_000A2	MMBZ5237B_R1_005A2
ZENER	SOT-23	MMBZ5238A	MMBZ5238A_R1_00001	MMBZ5238A_R1_00501
ZENER	SOT-23	MMBZ5238B	MMBZ5238B_R1_00001	MMBZ5238B_R1_00501
ZENER	SOT-23	MMBZ5239A	MMBZ5239A_R1_00001	MMBZ5239A_R1_00501
ZENER	SOT-23	MMBZ5239B	MMBZ5239B_R1_00001	MMBZ5239B_R1_00501
ZENER	SOT-23	MMBZ5240A	MMBZ5240A_R1_00001	MMBZ5240A_R1_00501

ZENER	SOT-23	MMBZ5240B	MMBZ5240B_R1_00001	MMBZ5240B_R1_00501
ZENER	SOT-23	MMBZ5240B	MMBZ5240B_R1_000A2	MMBZ5240B_R1_005A2
ZENER	SOT-23	MMBZ5241A	MMBZ5241A_R1_00001	MMBZ5241A_R1_00501
ZENER	SOT-23	MMBZ5241B	MMBZ5241B_R1_00001	MMBZ5241B_R1_00501
ZENER	SOT-23	MMBZ5242A	MMBZ5242A_R1_00001	MMBZ5242A_R1_00501
ZENER	SOT-23	MMBZ5242B	MMBZ5242B_R1_00001	MMBZ5242B_R1_00501
ZENER	SOT-23	MMBZ5242B	MMBZ5242B_R1_000A2	MMBZ5242B_R1_005A2
ZENER	SOT-23	MMBZ5243A	MMBZ5243A_R1_00001	MMBZ5243A_R1_00501
ZENER	SOT-23	MMBZ5243B	MMBZ5243B_R1_00001	MMBZ5243B_R1_00501
ZENER	SOT-23	MMBZ5244A	MMBZ5244A_R1_00001	MMBZ5244A_R1_00501
ZENER	SOT-23	MMBZ5244B	MMBZ5244B_R1_00001	MMBZ5244B_R1_00501
ZENER	SOT-23	MMBZ5245A	MMBZ5245A_R1_00001	MMBZ5245A_R1_00501
ZENER	SOT-23	MMBZ5245B	MMBZ5245B_R1_00001	MMBZ5245B_R1_00501
ZENER	SOT-23	MMBZ5245B	MMBZ5245B_R1_000A4	MMBZ5245B_R1_005A4
ZENER	SOT-23	MMBZ5246A	MMBZ5246A_R1_00001	MMBZ5246A_R1_00501
ZENER	SOT-23	MMBZ5246B	MMBZ5246B_R1_00001	MMBZ5246B_R1_00501
ZENER	SOT-23	MMBZ5247A	MMBZ5247A_R1_00001	MMBZ5247A_R1_00501
ZENER	SOT-23	MMBZ5247B	MMBZ5247B_R1_00001	MMBZ5247B_R1_00501
ZENER	SOT-23	MMBZ5248A	MMBZ5248A_R1_00001	MMBZ5248A_R1_00501
ZENER	SOT-23	MMBZ5248B	MMBZ5248B_R1_00001	MMBZ5248B_R1_00501
ZENER	SOT-23	MMBZ5249B	MMBZ5249B_R1_00001	MMBZ5249B_R1_00501
ZENER	SOT-23	MMBZ5250A	MMBZ5250A_R1_00001	MMBZ5250A_R1_00501
ZENER	SOT-23	MMBZ5250B	MMBZ5250B_R1_00001	MMBZ5250B_R1_00501
ZENER	SOT-23	MMBZ5251A	MMBZ5251A_R1_00001	MMBZ5251A_R1_00501
ZENER	SOT-23	MMBZ5251B	MMBZ5251B_R1_00001	MMBZ5251B_R1_00501
ZENER	SOT-23	MMBZ5252A	MMBZ5252A_R1_00001	MMBZ5252A_R1_00501
ZENER	SOT-23	MMBZ5252B	MMBZ5252B_R1_00001	MMBZ5252B_R1_00501
ZENER	SOT-23	MMBZ5253A	MMBZ5253A_R1_00001	MMBZ5253A_R1_00501
ZENER	SOT-23	MMBZ5253B	MMBZ5253B_R1_00001	MMBZ5253B_R1_00501
ZENER	SOT-23	MMBZ5254A	MMBZ5254A_R1_00001	MMBZ5254A_R1_00501
ZENER	SOT-23	MMBZ5254B	MMBZ5254B_R1_00001	MMBZ5254B_R1_00501
ZENER	SOT-23	MMBZ5255A	MMBZ5255A_R1_00001	MMBZ5255A_R1_00501
ZENER	SOT-23	MMBZ5255B	MMBZ5255B_R1_00001	MMBZ5255B_R1_00501
ZENER	SOT-23	MMBZ5256A	MMBZ5256A_R1_00001	MMBZ5256A_R1_00501
ZENER	SOT-23	MMBZ5256B	MMBZ5256B_R1_00001	MMBZ5256B_R1_00501

ZENER	SOT-23	MMBZ5257A	MMBZ5257A_R1_00001	MMBZ5257A_R1_00501
ZENER	SOT-23	MMBZ5257B	MMBZ5257B_R1_00001	MMBZ5257B_R1_00501
ZENER	SOT-23	MMBZ5258A	MMBZ5258A_R1_00001	MMBZ5258A_R1_00501
ZENER	SOT-23	MMBZ5258B	MMBZ5258B_R1_00001	MMBZ5258B_R1_00501
ZENER	SOT-23	MMBZ5259A	MMBZ5259A_R1_00001	MMBZ5259A_R1_00501
ZENER	SOT-23	MMBZ5259B	MMBZ5259B_R1_00001	MMBZ5259B_R1_00501
ZENER	SOT-23	MMBZ5259B	MMBZ5259B_R1_000A4	MMBZ5259B_R1_005A4
ZENER	SOT-23	MMBZ5260A	MMBZ5260A_R1_00001	MMBZ5260A_R1_00501
ZENER	SOT-23	MMBZ5260B	MMBZ5260B_R1_00001	MMBZ5260B_R1_00501
ZENER	SOT-23	MMBZ5261A	MMBZ5261A_R1_00001	MMBZ5261A_R1_00501
ZENER	SOT-23	MMBZ5261B	MMBZ5261B_R1_00001	MMBZ5261B_R1_00501
ZENER	SOT-23	MMBZ5262A	MMBZ5262A_R1_00001	MMBZ5262A_R1_00501
ZENER	SOT-23	MMBZ5262B	MMBZ5262B_R1_00001	MMBZ5262B_R1_00501
TRANSISTOR	SOT-23	PBHV8050SA	PBHV8050SA_R1_00001	PBHV8050SA_R1_00501
TVS/ESD	SOT-23	PE1605C2A	PE1605C2A_R1_00001	PE1605C2A_R1_00501
TVS/ESD	SOT-23	PE3324C2A	PE3324C2A_R1_00001	PE3324C2A_R1_00501
TVS/ESD	SOT-23	PE4105C2A	PE4105C2A_R1_00001	PE4105C2A_R1_00501
TVS/ESD	SOT-23	PE4305C2A	PE4305C2A_R1_00701	PE4305C2A_R1_00501
TVS/ESD	SOT-23	PE4309C2A	PE4309C2A_R1_00701	PE4309C2A_R1_00501
TVS/ESD	SOT-23	PE4312C2A	PE4312C2A_R1_00701	PE4312C2A_R1_00501
TVS/ESD	SOT-23	PE4315C2A	PE4315C2A_R1_00701	PE4315C2A_R1_00501
TVS/ESD	SOT-23	PE4318C2A	PE4318C2A_R1_00701	PE4318C2A_R1_00501
TVS/ESD	SOT-23	PE4322C2A	PE4322C2A_R1_00701	PE4322C2A_R1_00501
TVS/ESD	SOT-23	PE4324C2A	PE4324C2A_R1_00701	PE4324C2A_R1_00501
TVS/ESD	SOT-23	PE4336C2A	PE4336C2A_R1_00701	PE4336C2A_R1_00501
TVS/ESD	SOT-23	PEC3202C2A	PEC3202C2A_R1_00701	PEC3202C2A_R1_00501
TVS/ESD	SOT-23	PEC3203C2A	PEC3203C2A_R1_00701	PEC3203C2A_R1_00501
TVS/ESD	SOT-23	PEC3205C2A	PEC3205C2A_R1_00701	PEC3205C2A_R1_00501
TVS/ESD	SOT-23	PEC4102C2A	PEC4102C2A_R1_00701	PEC4102C2A_R1_00501
TVS/ESD	SOT-23	PEC4103C2A	PEC4103C2A_R1_00701	PEC4103C2A_R1_00501
TVS/ESD	SOT-23	PEC4105C2A	PEC4105C2A_R1_00701	PEC4105C2A_R1_00501
MOSFET	SOT-23	PJA138K	PJA138K_R1_00001	PJA138K_R1_00501
MOSFET	SOT-23	PJA138K	PJA138K_R1_000A1	PJA138K_R1_005A1
MOSFET	SOT-23	PJA138KA	PJA138KA_R1_000A1	PJA138KA_R1_005A1
MOSFET	SOT-23	PJA138L	PJA138L_R1_00001	PJA138L_R1_00501

MOSFET	SOT-23	PJA3426	PJA3426_R1_00001	PJA3426_R1_00501
MOSFET	SOT-23	PJA3428	PJA3428_R1_00001	PJA3428_R1_00501
MOSFET	SOT-23	PJA3434	PJA3434_R1_00001	PJA3434_R1_00501
MOSFET	SOT-23	PJA3435	PJA3435_R1_00001	PJA3435_R1_00501
MOSFET	SOT-23	PJA3436	PJA3436_R1_00001	PJA3436_R1_00501
MOSFET	SOT-23	PJA3438	PJA3438_R1_00001	PJA3438_R1_00501
MOSFET	SOT-23	PJA3439	PJA3439_R1_00001	PJA3439_R1_00501
MOSFET	SOT-23	PJA3472B	PJA3472B_R1_00001	PJA3472B_R1_00501
MOSFET	SOT-23	PJA3476	PJA3476_R1_00001	PJA3476_R1_00501
MOSFET	SOT-23	PJA7002H	PJA7002H_R1_00001	PJA7002H_R1_00501
TVS/ESD	SOT-23	PJMBZ15V	PJMBZ15V_R1_00001	PJMBZ15V_R1_00501
TVS/ESD	SOT-23	PJMBZ27V	PJMBZ27V_R1_00001	PJMBZ27V_R1_00501
TVS/ESD	SOT-23	PJSDC15	PJSDC15_R1_00001	PJSDC15_R1_00501
TVS/ESD	SOT-23	PJSOT03	PJSOT03_R1_00001	PJSOT03_R1_00501
TVS/ESD	SOT-23	PJSOT05	PJSOT05_R1_00001	PJSOT05_R1_00501
TVS/ESD	SOT-23	PJSOT08	PJSOT08_R1_00001	PJSOT08_R1_00501
TVS/ESD	SOT-23	PJSOT12	PJSOT12_R1_00001	PJSOT12_R1_00501
TVS/ESD	SOT-23	PJSOT24	PJSOT24_R1_00001	PJSOT24_R1_00501
TVS/ESD	SOT-23	PJSOT36	PJSOT36_R1_00001	PJSOT36_R1_00501
SKY	SOT-23	RB411D	RB411D_R1_00001	RB411D_R1_00501
SKY	SOT-23	RB491D	RB491D_R1_00001	RB491D_R1_00501
SKY	SOT-23	RB491DH	RB491DH_R1_000A1	RB491DH_R1_005A1
SKY	SOT-23	RB551V-30TC	RB551V-30TC_R1_00001	RB551V-30TC_R1_00501
SKY	SOT-23	SBA0520CA	SBA0520CA_R1_00001	SBA0520CA_R1_00501
SKY	SOT-23	SBA0530CA	SBA0530CA_R1_00001	SBA0530CA_R1_00501
SKY	SOT-23	SBA0540CA	SBA0540CA_R1_00001	SBA0540CA_R1_00501
ZENER	SOT-23	STZ23C5V6	STZ23C5V6_R1_00001	STZ23C5V6_R1_00501