molex

Delivering streamlined behind-panel routings with MT, MPO/MTP* interfaces and IP67-sealed harsh-environmental protection with LC interfaces, Optical Electro Magnetic Interference (EMI) Shielding Adapters are ideal in networking and industrial applications

Optical Electro Magnetic Interference (EMI) shielding adapters are designed to address mechanical-design requirements limiting EMI and Radio Frequency Interference (RFI) emissions from front panels or enclosures. The adapters are constructed of either all diecast housings or as a half die-cast, half polymer housing.

Housings have an EMI gasket that seals the adapters to the panel. EMI adapters increase the shielding effectiveness while enhancing the front-panel aesthetics compared to traditional plastic adapters.


Features and Benefits

MPO to MT/ HBMT[™] and IP67 Sealed LC to LC Adapters

MPO (MTP*) front-interface to MT or HBMT™ back-interface adapter styles (106114 only)	Provide flexibility in fiber routing and reduce space requirements inside the box
IP67 sealed, ruggedized duplex LC interface adapters with latching shutters (106127-0100 and 10627-0110 only)	Shutter latches to compress the seal and protect from moisture and dust ingress. Provides harsh- environment sealing when mated with Sealed LC2+ connector
All EMI Adapters	
Metal die-cast housings	Provide Electro Magnetic Interference (EMI) protection
EMI gaskets included	Provide Electro Magnetic Interference (EMI) seal between the adapter and mounting surface
Safety shutters included	Provides dust protection, eye safety and reduces EMI when no connector is installed
Screw- and snap-mount styles available	Provides mounting flexibility
Single and multiple-port adapter design (accepts one or four connectors)	Provides for design flexibility
Ceramic or phosphor bronze alignment sleeves (where applicable)	Accommodate singlemode (SM) and multimode (MM) performance

Optical EMI Shielding Adapters

106114	MPO/MTP* to MT or HBMT [™] Adapters
106127	LC Duplex to LC Duplex Sealed Ruggedized Adapter
106114	MPO Adapter
106115	LC Duplex Adapters
106116	SC Adapter
106123	LC Quad Adapters



- A. MPO (MTP*) to HBMT[™] Quad Adapter B. MPO (MTP*) to HBMT[™] Simplex
- Adapter, Screw Mount with Shutter
- C. LC Duplex Sealed Adapter with Latching Shutter
- D. MPO (MTP*) to MT Simplex Adapter, Screw Mount with Shutter
- E. MPO (MTP*) to HBMT[™] Simplex Adapter, Screw Mount with Shutter



MPO (MTP*) Adapters Series numbers 106115 LC Duplex Adapters 106116 SC Adapter 106123 LC Quad Adapters

molex

Specifications

Reference Information

Packaging: MTP tray, LC bag Mates With: MPO (MTP*), LC duplex connectors Use With: Optical Cable Assemblies and FlexPlane™ Optical Circuitry Designed In: Millimeters RoHS: Yes Halogen Free: Yes

Mechanical

Durability (min.): 200 mates and de-mates

Physical Housing: Metal (Zinc) for EMI versions Alignment Sleeve: Phosphor Bronze or Zirconia Ceramic Plating: Electro-less Nickel Operating Temperature: -40 to +85°C

Applications

Telecommunication Applications

- Data Centers
- Hubs
- Servers
- Routers
- Industrial Applications

– Test equipment Aerospace/Defense Applications

Storage

 – Gigabit Ethernet testing equipment





High-End Servers

Optical EMI Shielding Adapters

molex

Ordering Information

Optical EMI Shielding Adapters

MPO (MTP*) to MT and HBMT[™] Adapters

Order No.	Cable Type	Mount Style	Shutter	Front Interface	Back Interface
106114-1150	Simplex	Screw	One Side	MPO (MTP*)	MT
106114-1160		Staggered Screw			
106114-1510		Screw			HBMT™ Clip
106114-1520		Snap			
106114-1530	Quad	Screw			

LC EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From		
106115-3100	_	Screw	45°	One Side	Front		
106115-4100		Snap					
106115-1100	Duplex		Charlicht	None			
106115-1110		Screw		One Side			
106115-1120				Two Sides			
106115-2100			Straight	None			
106115-2110		Snap		One Side			
106115-2120				Two Sides			
106115-3200		Single Screw	45°		Deer		
106123-0500	Quad	Snap		One Side	Rear		
106123-0600			Straight		Frent		
106123-0700		C					
106127-0100	Duplex	D I.	SCIEW	Screw	Sciew		Front
106127-0110							

MPO EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From
106114-1100	Simplex	Screw	Straight	One Side	Front
106114-1200		Snap			
106114-3000		Screw	45°		
106114-4000		Snap			
106114-0100		SingleScrew			Rear
106114-3200	Quad	Screw		None	

SC EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From
106116-2000		Snap	Straight		Front
106116-2100	Simplex	Screw		One Side	FIONL
106116-4500		Single Screw	45°		Rear
106116-1000	SC Duplex EMI Adapter	Snap/Screw	Straight	Snap-On	Front

www.molex.com/product/emiadapters.html