



Asia Connector Line Card

Connector Components to Fit Virtually Every Application



Broad and Deep Inventory from the Industry's Premier Connector Manufacturers

From the simplest terminals and spades, to military, medical, and aerospace systems certified to withstand the most severe conditions – TTI stocks interconnects that transmit power, data, and signal, even simultaneously, from the backplane to the control panel and anywhere else in the circuit.




Reach your local sales team at +86 400-844-4868 or email us at FeedbackTTIASia@ttiinc.com

Commercial Connectors

AUDIO	Amphenol Audio	Amphenol Nexus	Amphenol Tuchel	API Technologies - Spectrum Control	TE Connectivity
1/4" Phone (T Series, M Series and Jacks)	◆				
1/4" Phone SwitchPlug	◆				
3.5mm PCB	◆				
AC PDN	◆				
AC Series XLR Cable	◆				
AC Series XLR Metal "Z" Chassis Mount	◆				
AC Series XLR PBC Chassis Mount	◆				
AC Series Dual 1/4" XLR	◆				
AC Series XLR Thermoplastic Chassis Mount	◆				
Accessories	◆	◆			
AX Series XLR Cable	◆				
BNC 75ohm Connectors	◆			◆	
C Type Combo 1/4" - XLR PCB	◆				
EP/AP Series High Power	◆				
Multipin Series	◆	◆	◆	◆	
RCA Series	◆	◆			
SP High Current Loudspeaker	◆				
XLrnet Series Cable	◆				
XLrnet Series PCB/Chassis Mount	◆				

TERMINAL BLOCKS	Amphenol FCI	Amphenol PCD	API Technologies - Spectrum Control	Molex - Beau	Phoenix Contact	Souriau	TE Connectivity
Barrier Strips			◆	◆			◆
Europa							◆
Eurostyle - Fixed/Pluggable		◆	◆	◆	◆		◆
2.54/3.50/3.81/5.0/5.08 mm		◆	◆	◆	◆		◆
Filtered				◆			
Interface Modules		◆			◆		
NEMA							◆
Phenolic				◆			◆
Push Button				◆			
Rail Mounted		◆			◆	◆	◆
Screw Terminal	◆	◆	◆	◆	◆	◆	◆
Spring Clamp	◆	◆	◆	◆	◆	◆	◆

TRANSPORTATION	3M	Amphenol	Amphenol FCI	API Technologies - Spectrum Control	APTIV (formerly Delphi Connection Systems)	AVX - Elco	Glenair	Harwin	HellermannTyton	ITT Cannon	Molex	Phoenix Contact	PKC Group	Preci-Dip	Souriau	TE Connectivity
APPLICATIONS																
Agricultural		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Automotive		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Commercial Vehicles		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Construction		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Marine		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mass Transit		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Recreational Vehicles		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
INTERCONNECTS																
Backplane	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Backshells	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Board-to-Board	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Circular	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Contacts	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Device-to-Board	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Input/Output	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Memory Card	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
RF/Coax/Microwave	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Solderless Terminals	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Specialty	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Terminal Blocks	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tooling	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
USB	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Wire & Cable	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Wire Management	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Wire-to-Board	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Wire-to-Wire	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆



WIRE & BOARD MANAGEMENT/ ACCESSORIES

	3M	AirBorn	Amphenol	Amphenol FCI	Amphenol PCD	AVX - Elco	Glenair	Harwin	HellermannTyton	ITT Cannon	Molex	Phoenix Contact	Souriau	TE Connectivity
Backshells	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cable Clips	◆						◆	◆						◆
Cable Management	◆			◆								◆		◆
Cable Marker Ties	◆								◆			◆		◆
Cable Mounts	◆								◆		◆			
Cable Spacers	◆							◆				◆		◆
Cable Terminals	◆							◆			◆			◆
Cable Ties	◆								◆		◆			◆
Heat Shrink Products	◆					◆		◆			◆	◆		◆
Jumper Links				◆				◆			◆			◆
Labeling Systems	◆		◆					◆			◆			◆
Labels	◆								◆		◆			◆
PCB Spacers	◆			◆				◆			◆			◆
PCB Terminals		◆	◆					◆	◆	◆	◆	◆	◆	◆
Printers/Software and Ribbons	◆								◆		◆			◆
RFI Clips & Fingers								◆						◆
Shorting Links								◆			◆			◆
Solderless Terminals	◆		◆								◆	◆		◆
Splices	◆			◆	◆						◆		◆	◆
Stainless Steel Accessories	◆								◆					◆
Test Points								◆						◆
Tooling	◆	◆	◆	◆			◆	◆	◆	◆	◆	◆	◆	◆
Wire & Cable	◆			◆	◆						◆			◆
Wire Ducting	◆								◆		◆			◆

RF/COAXIAL/MICROWAVE

	3M	AirBorn	Amphenol Aerospace	Amphenol RF	Amphenol SV Microwave	Molex	TE Connectivity
1.0 / 2.3				◆	◆	◆	◆
1.6 / 5.6				◆	◆	◆	◆
7 / 16				◆	◆	◆	◆
BMA					◆	◆	◆
BNC (50/75Ω)				◆	◆	◆	◆
BNC (Miniature)				◆	◆	◆	◆
B to B Blindmate/Compression				◆	◆	◆	◆
BSA				◆	◆	◆	◆
FAKRA				◆	◆	◆	◆
MCX/MMCX				◆	◆	◆	◆
MHV/SHV				◆	◆	◆	◆
Microwave Cable Assemblies					◆		◆
Precision ¹				◆	◆	◆	◆
QMA				◆	◆	◆	◆
Reverse Polarity ²				◆	◆		◆
RF Cable Assemblies				◆	◆	◆	◆
Shielded Terminators				◆	◆	◆	◆
SMA				◆	◆	◆	◆
SMB (50/75Ω)				◆	◆	◆	◆
SMB (Miniature)				◆	◆	◆	◆
SMC				◆	◆	◆	◆
SMP				◆	◆	◆	◆
SMT				◆	◆	◆	◆
SSMA					◆	◆	◆
TNC				◆	◆	◆	◆
Triax				◆	◆	◆	◆
Twinax		◆	◆	◆	◆	◆	◆
Type F/G				◆	◆	◆	◆
Type N				◆	◆	◆	◆
UHF/MiniUHF				◆	◆	◆	◆

¹ 2.4 / 2.9 / 3.5 / 7mm
² BNC, MMCX, N, SMA, TNC

SPECIALTY

	3M	AirBorn	Amphenol	Amphenol Commercial	Amphenol FCI	Amphenol PCD	API Technologies - Spectrum Control	APTIV (formerly Delphi Connection Systems)	AVX - Elco	Bourns	Glenair	Harwin	Hellermann Tyton	ITT Cannon	Molex	Omron	Panasonic	Phoenix Contact	Souriau	TE Connectivity
Automotive			◆	◆	◆	◆	◆	◆	◆				◆	◆	◆					◆
Battery			◆	◆	◆	◆	◆	◆	◆				◆	◆	◆					◆
COTS		◆	◆	◆	◆	◆	◆	◆	◆		◆			◆	◆					◆
EMI Shielded	◆	◆	◆	◆	◆	◆	◆	◆	◆			◆		◆	◆					◆
Filtered			◆	◆			◆								◆					◆
Harsh Environment	◆	◆		◆					◆			◆	◆		◆					◆
Hermetic			◆	◆			◆				◆			◆	◆					◆
High Voltage			◆	◆	◆		◆							◆	◆					◆
Industrial	◆		◆	◆			◆	◆	◆		◆		◆	◆	◆					◆
LED Connector				◆										◆	◆					◆
M8/M12														◆	◆	◆				◆
Micro Miniature/ Nano	◆	◆	◆	◆	◆				◆					◆	◆					◆

INPUT/ OUTPUT

	3M	AirBorn	Amphenol	Amphenol Commercial	Amphenol FCI	Amphenol PCD	API Technologies - Spectrum Control	AVX - Elco	Glenair	Harwin	ITT Cannon	Molex	Omron	Panasonic	Phoenix Contact	Souriau	TE Connectivity
1394 & 1394b	◆																◆
Audio			◆		◆	◆	◆	◆			◆	◆					◆
Camera Link		◆															
Mini Camera Link		◆															
Circular	◆		◆			◆	◆		◆	◆	◆	◆			◆	◆	◆
Combo I/O	◆				◆	◆	◆			◆	◆	◆					◆
Display Port					◆	◆	◆					◆					◆
D-Subminiature	◆		◆	◆	◆	◆	◆				◆	◆			◆	◆	◆
DVI				◆	◆	◆	◆				◆	◆		◆			◆
Fiber Channel					◆	◆	◆				◆	◆					◆
Fiber Optic		◆	◆		◆	◆	◆				◆	◆			◆	◆	◆
Filtered I/O	◆		◆		◆	◆	◆				◆	◆					◆
HDMI/Micro HDMI					◆	◆	◆				◆	◆					◆
IPass					◆	◆	◆				◆	◆					◆
InfiniBand®					◆	◆	◆				◆	◆					◆
M12/M12D/M8											◆	◆		◆			◆
Micro D		◆	◆					◆		◆	◆	◆					◆
Mini DIN/Circular DIN					◆	◆	◆				◆	◆					◆
Mini D-Subminiature									◆		◆	◆					◆
Mobile Systems											◆	◆					◆
Modular Plugs & Jacks	◆		◆	◆	◆	◆	◆				◆	◆					◆
PCI Express					◆	◆	◆				◆	◆					◆
Power	◆		◆	◆	◆	◆	◆	◆	◆		◆	◆					◆
Push/Pull											◆	◆					◆
Rectangular	◆	◆	◆			◆	◆		◆	◆	◆	◆					◆
RF/Coax / Microwave	◆		◆								◆	◆		◆	◆	◆	◆
RJ/Industrial Ethernet					◆	◆	◆	◆			◆	◆			◆	◆	◆
SATA/SAS/Mini SATA					◆	◆	◆		◆		◆	◆					◆
SCSI	◆		◆	◆	◆	◆	◆				◆	◆					◆
SFP/XFP					◆	◆	◆				◆	◆					◆
TDP											◆	◆					◆
USB/Mini USB/USB OTG					◆	◆	◆	◆	◆	◆	◆	◆					◆

InfiniBand® is a trademark of the InfiniBand Trade Association

Commercial Connectors

	3M	AirBorn	Amphenol	Amphenol Commercial	Amphenol FCI	Amphenol Pod	Amphenol TCS	AVX - Elco	Bourns	Harwin	ITT Cannon	Molex	Omron	Panasonic	Souriau	TE Connectivity
BACKPLANE																
10 Gb/s+ Solutions	◆	◆	◆		◆						◆	◆				◆
2.00 mm (.079 inch)	◆				◆		◆					◆				◆
AOC Assemblies	◆			◆	◆							◆				◆
Assemblies (Backplane)	◆											◆				◆
ATCA/MicroTCA	◆				◆		◆					◆				◆
Cable Assemblies	◆	◆			◆		◆				◆	◆				◆
Card Edge	◆	◆	◆		◆						◆	◆				◆
Compact PCI	◆		◆		◆						◆	◆				◆
DIN 41612 (Eurocard)	◆				◆		◆									◆
Fiber Optic	◆				◆	◆						◆				◆
Future Bus	◆				◆							◆				◆
Hard Metric	◆				◆		◆					◆				◆
High-Speed Cable Assemblies	◆			◆	◆							◆				◆
PCI Express	◆		◆		◆						◆	◆				◆
Power	◆	◆	◆	◆	◆	◆	◆					◆				◆
RF/Ganged RF			◆									◆				◆
SCA-2				◆	◆							◆				◆
BOARD TO BOARD																
Ball Grid Array (BGA)	◆				◆	◆	◆				◆	◆				◆
Battery Connectors					◆		◆	◆	◆	◆		◆				◆
Board Stacking	◆	◆			◆	◆	◆	◆	◆	◆	◆	◆				◆
Breakaway Headers	◆		◆		◆						◆	◆				◆
Compression	◆	◆			◆		◆				◆	◆				◆
Headers & Receptacles	◆		◆		◆	◆	◆	◆	◆	◆	◆	◆				◆
Mezzanine/FPC	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆
Power	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆				◆
SCSI	◆		◆		◆						◆	◆				◆
Shunts	◆		◆		◆		◆				◆	◆				◆
Stacking	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆				◆
DEVICE TO BOARD																
AOC Assemblies	◆			◆	◆						◆	◆				◆
DIMM				◆	◆		◆				◆	◆				◆
DIP	◆			◆	◆					◆		◆				◆
High-Speed Cable Assemblies	◆			◆	◆							◆				◆
PCMCIA	◆			◆	◆							◆				◆
PGA	◆			◆	◆							◆				◆
PLCC	◆			◆	◆					◆		◆				◆
Rambus												◆				◆
RIMM/DIMM/SIMM				◆	◆							◆				◆
Rotary Backlock													◆			◆
SIP	◆									◆		◆				◆
Slot 1 & 2												◆				◆
SO DIMM & RIMM				◆	◆		◆					◆				◆
Test/Burn-In Sockets	◆															◆
Transistor																◆

	3M	AirBorn	Amphenol	Amphenol FCI	AVX - Elco	Glennair	Harwin	ITT Cannon	Molex	Phoenix Contact	Souriau	TE Connectivity
WIRE-TO-BOARD												
WIRE-TO-WIRE												
100 mm (.039 inch)	◆			◆	◆		◆	◆	◆			◆
1.25 mm (.049 inch)				◆			◆	◆	◆			◆
1.27 mm (.050 inch)	◆			◆			◆	◆	◆			◆
2.00 mm (.079 inch)	◆			◆	◆		◆	◆	◆	◆		◆
2.50 mm (.098 inch)				◆					◆	◆		◆
2.54 mm (.100 inch)	◆	◆		◆			◆	◆	◆	◆		◆
3.00 mm (.118 inch)	◆			◆					◆	◆		◆
3.68 mm (.145 inch)												◆
3.96 mm (.156 inch)										◆		◆
4.00 mm (.157 inch)				◆								◆
4.20 mm (.165 inch)										◆		◆
5.00 mm (.197 inch)											◆	◆
5.03 mm (.198 inch)										◆		◆
5.08 mm (.200 inch)										◆	◆	◆
6.35 mm (.250 inch)										◆	◆	◆
7.50 mm (.295 inch)										◆	◆	◆
9.00 mm (.354 inch)				◆								◆
10.00 mm (.393 inch)												◆
Bus Bar				◆				◆	◆	◆		◆
Cable Assemblies	◆	◆		◆	◆		◆	◆	◆	◆	◆	◆
Discrete Wire	◆			◆	◆		◆	◆	◆	◆	◆	◆
FFC/FPC				◆	◆			◆	◆	◆		◆
IDC Discrete Wire	◆			◆	◆		◆	◆	◆	◆	◆	◆
IDC/Mass Termination	◆			◆	◆		◆	◆	◆	◆	◆	◆
Mini D Ribbon/Champ	◆		◆	◆	◆		◆	◆	◆	◆		◆
Power	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
SATA/SAS/Mini SATA	◆		◆	◆	◆					◆		◆
SCSI I, II, III	◆		◆							◆		◆

	3M	Amphenol	Amphenol FCI	AVX - Elco	CSK Components	Molex	TE Connectivity
MEMORY CARD CONNECTORS							
CompactFlash™	◆	◆	◆	◆		◆	◆
DDR/DDR2/Mini DDR2			◆	◆		◆	◆
Express Card			◆	◆		◆	◆
Full Size Card					◆		◆
Memory Stick/Duo			◆	◆		◆	◆
Micro SD			◆	◆		◆	◆
Mini SD			◆	◆		◆	◆
MMC			◆	◆		◆	◆
PC Card/CardBus		◆	◆	◆		◆	◆
PCMCIA		◆	◆	◆		◆	◆
SD (Secure Digital)		◆	◆	◆		◆	◆
Smart Card (SAM)					◆		◆
Smart Card (SIM)		◆	◆	◆		◆	◆
TransF		◆					◆
xD		◆					◆

CompactFlash™ is a trademark of the Compact Flash Association

◆ Lead & Lead-free compliant parts available ◆ Lead-free only parts available

Off-board Connectors



Connectors	3M	Amphenol/AFCI	API Technologies	Harwin	ITT Cannon	Molex	Omn Automation & Safety	Phoenix Contact	Pulse	Souriau	TE Connectivity	Vislay/Dale
Bus Bars		◆								◆	◆	
Circular Plastic Connectors		◆	◆	◆	◆			◆		◆	◆	◆
Detergent & Wash-down Cordset Connectors				◆			◆	◆		◆	◆	◆
FFC/FPC Flex Connectors		◆				◆					◆	
Fiber Optic	◆	◆			◆					◆	◆	
Heavy Duty			◆				◆					
High Power	◆	◆		◆	◆	◆				◆	◆	
High-speed Data	◆	◆		◆	◆	◆						
Industrial D-Sub	◆	◆			◆						◆	
Industrial I/O	◆	◆		◆							◆	
HMI						◆	◆				◆	
Mini I/O	◆					◆	◆				◆	
RJ45	◆	◆	◆				◆	◆	◆	◆	◆	
USB		◆	◆				◆				◆	
Integrated/Added Value Solutions	◆	◆		◆		◆	◆	◆			◆	
M8/M12 Connectors	◆	◆	◆				◆	◆			◆	
M8/M12 Cordsets		◆	◆				◆	◆			◆	
RF	◆	◆					◆	◆	◆		◆	
Ruggedized Circular		◆			◆					◆	◆	
Sealed Connectors		◆		◆	◆					◆	◆	
Terminal Blocks							◆				◆	
Terminals		◆		◆		◆					◆	



Rail Connection Systems by Supplier


APPLICATION	AMPHENOL	GLENAIR	ITT CANNON	SOURIAU	TE CONNECTIVITY
Cab Controls	PT/26482, GT	ITS, FRITS	KPT/26482	VGE1, MSG3U, UTO, UTS, SMS	SRC, NGC, HDC, CIRP/H, M12 Rail, 24-position Connector
Propulsion/Braking	ARC, ePower, GT, Trainline	FRITS, FRITS RG, ITH (Single Pole)	CA/MIL-C-5015	VGE1, FER1	EKO, FXP, CMC, WYE, CPP, AMPOWER
Door Controls	Mil-C-5015, 26482, GT, Max-M12	FRITS, FRITS RG	CA/MIL-C-5015/ 26482	VGE1, FER1, UTO	NGC, SRC, HDC, CIRP/H, M12 Rail
Couplers	ARC, GT, Trainline	FRITS, FRITS RG, FRITS Coax, 900	CA/MIL-C-5015	VGE1, 838	CAM/CMC
HVAC	Mil-C-5015, 26482, Cable Glands, GT	FRITS, FRITS RG	CA/MIL-C-5015/ KPT/26482	VGE1, FER1, SMS IP	NGC, CPP, CMC, SRC, HDC, CIRP/H, M12 Rail
Converters Inverters	PT/26482, GT	FRITS (signal), 900 (power)	KPT/26482	VGE1, UTO, MSG3U, SMS	FXP, UIC541-5, UIC588, MU27P, CAM, FXP, EKO-A, CCP, CMC

Hybrid & Electric Vehicle Connectors

	Amphenol	Aptiv (Delphi)	ITT Cannon	Molex	Omron	Panasonic	Phoenix Contact	TE Connectivity
EV Suppliers by Product								
J1772 Coupler	◆	◆	◆				◆	◆
J1772 Inlet		◆	◆				◆	
J1772 CCS		◆	◆				◆	
Contactors					◆	◆		◆
MSD								◆
HV 0-100A Connectors	◆	◆	◆					◆
HV 200A Connectors	◆	◆		◆				◆
HV 300A Connectors	◆			◆				◆
HV 400A+ Connectors	◆							◆
Pass-through Systems	◆	◆	◆	◆				◆
EVSE Board Products						◆	◆	◆

	Infrastructure	Vehicle OEM	Battery Pack OEM	Electric Motor OEM	Motor Controller OEM	ON-board Charger OEM	DC/DC Converter
EV Market Segment by Product							
J1772 Coupler	◆						
J1772 Inlet		◆					
J1772 CCS	◆						
Contactors	◆	◆	◆				
MSD		◆	◆				
HV 0-100A Connectors		◆	◆	◆	◆	◆	◆
HV 200A Connectors		◆	◆	◆	◆	◆	◆
HV 300A Connectors		◆	◆	◆	◆	◆	◆
HV 400A+ Connectors		◆	◆	◆	◆	◆	◆
Pass-through Systems	◆	◆		◆			
EVSE Board Products	◆						


Connection System	Term Type	Current	Voltage	Shield
Amphenol APT/HVPT	Ring		1000	Internal
Amphenol ePower	8mm-11mm Pin/Soc	200-400	1000	Internal
Amphenol ePower-Lite	3.6mm Pin/Soc	70	1000	Internal
Amphenol Powerlok	4.0mm-14mm Pin/Soc	40-500	1000	Internal
Amphe-Power	2.4mm - 9.1mm Pin/Soc	63 - 300	1000	External*
Amphe-Push-Pull	5.7mm - 14.0mm Pin/Soc	120 - 500	1000	External*
Amphenol Radlok	3.6mm - 12.0mm Pin/Soc	70 - 400	1000	None
Amphenol Rhino 38999	4.8mm - 23.1 Pin/Soc	85 - 1000	630	Internal
Amphenol Surlok	3.6mm - 14.0mm Pin/Soc	70 - 500	1000	None
Amphenol UPC	9.1mm - 12mm Pin/Soc	250 - 400	1000	Internal
Aptiv/Delphi HV150	1.5mm Box/Blade	16	600	None
Aptiv/Delphi APEX HV280	2.8mm Box/Blade	35	750	External
Aptiv/Delphi HV280	2.8mm Box/Blade	40	600	Internal
Aptiv/Delphi APEX HV950	9.5mm Box/Blade	70	750	None
Aptiv/Delphi HV1000	10mm Box/Blade	145	600	Internal
Aptiv/Delphi HV2000	20mm Box/Blade	250	600	Internal
Aptiv/Delphi RCS800 & 890	8mm Pin/Soc	230	1000	External
Aptiv/Delphi Pass-through	Ring	n/a	600	Internal
ITT APD	2.4mm Pin/Soc	29	500	None
ITT Ring Tongue	Ring	n/a	900	Internal
Molex Imperium	8mm-14mm Pin/Soc	230-400	1000	Internal
Molex Maxloc Plus	8mm-14mm Pin/Soc	230-400	1000	Internal
Molex Maxloc (pass-thru)	Ring	n/a	1000	Internal
TE Connectivity EV600	Screw Terminal	600	28-1000	Internal
TE Connectivity HVA280	2.8mm Box/Blade	30	600-750	Internal
TE Connectivity HVA630	6.3mm Box/Blade	70	600	Internal
TE Connectivity HVA950	9.5mm Box/Blade	90	600	Internal
TE Connectivity HVP800	8mm Pin/Soc	200-250	850	Internal
TE Connectivity HVP1100	11mm Pin/Soc	320	750	Internal
TE Connectivity IPT	Ring	n/a	800	Internal





Why Buy from the Specialist in Electronic Component Distribution?

Founded in 1971, TTI has steadily grown to become the world's leading interconnect, passive, electromechanical and discrete component distributor in the industry. The company was founded on the premise that passive component purchasing could be made more efficient by offering product specialization, customer-driven service, and proprietary supply chain solutions.



Knowledgeable Product Experts

Specialization allows TTI product managers to provide much better product insight to support your manufacturing from design through production. TTI Specialists' commitment to our customers is key to our continued success.

Broader and Deeper Inventories

TTI maintains extensive component inventories, stocking more than 500,000 part numbers in North America and over 850,000 globally – that's more interconnect, passive, electromechanical and discrete inventory available than from any other source.

AIM - Advanced Inventory Management Platform

TTI's proprietary supply chain system is specifically designed for managing IP&E products and partnerships with premier manufacturers. This allows us to provide the BOM coverage necessary to deploy comprehensive solutions that reduce total cost of ownership and mitigate line down risk.

Quality and Reliability

TTI is the first distributor to have all global warehouse locations ISO registered and currently are certified to ISO 9001 with AS9100C and ISO 14001 in North America, ISO 9001, EN 9100, ISO 14001 and EN 9120 in TTI Europe and AS9120 with ISO 9001 and ISO 14001 in TTI Asia.

Year after year, customers rate our inventory availability, on-time delivery and accuracy among the very best in the industry – contact your local TTI Specialists at FeedbackTTIAsia@ttiinc.com or +86 400-844-4868 and discover why.





ttiasia.com



Contact TTI today to see what a true specialist can offer.

Corporate Headquarter

TTI, Inc.
2441 Northeast Parkway, Fort Worth, Texas 76106 U.S.A.
T: +1 817 740 9000 | F: +1 817 740 9898
E: information@ttiinc.com

Asia Headquarter

TTI Electronics Asia Pte Ltd
3 Changi North Street 2, LogisTech Building #04-01,
Singapore, 498827
T: +65 6788 9200 | F: +65 6788 9300
E: FeedbackTTIASia@ttiinc.com

Asia Sales Offices

Greater China

- Beijing T: +86 10 6566 4748
- Chengdu T: +86 512 8957 0488
- Dalian T: +86 10 6566 4748
- Dongguan T: +86 769 8608 8638
- Guangzhou T: +86 769 8608 8638
- Hangzhou T: +86 512 8957 0488
- Qingdao T: +86 10 6566 4748
- Shanghai T: +86 21 5174 2088
- Shenzhen T: +86 755 2269 1988
- Suzhou T: +86 512 8957 0488
- Wuhan T: +86 512 8957 0488
- Xiamen T: +86 592 5751 803
- Hong Kong T: +852 3658 4700
- Taiwan - Taichung T: +886 2 2796 8305
- Taiwan - Taipei T: +886 2 2796 8305

South Asia

- India**
- Bangalore T: +91 80 4530 1900
- New Delhi T: +91 80 4530 1957
- Pune T: +91 80 4530 1988
- Indonesia** T: +65 6788 9200
- Korea**
- Seoul T: +82 2 376 8171
- Gumi T: +82 2 376 8171
- Malaysia**
- Kuala Lumpur T: +60 4 659 2011
- Penang T: +60 4 659 2011
- Philippines** T: +63 2 654 5599
- Singapore** T: +65 6788 9200
- Thailand** T: +66 2 694 2277
- Vietnam**
- Hanoi T: +84 28 3822 9468
- Ho Chi Minh T: +84 28 3822 9468