



# PRODUCT CHANGE NOTIFICATION

## INDUCTORS



### Bourns® SRR6603, SRE6603, and PM1608S Series Shielded Power Inductors

#### *Process Integration and Ink Supplier Change*

Riverside, California – August 26, 2026 – In the spirit of continuous improvement, effective March 1, 2027, Bourns will integrate its marking, testing, and taping processes into a single automated process for the SRR6603, SRE6603, and PM1608S Series Shielded Power Inductors. A list of affected part numbers is included below.

#### Affected Part Numbers

|                                 |                                 |                                 |                               |                               |
|---------------------------------|---------------------------------|---------------------------------|-------------------------------|-------------------------------|
| <a href="#">PM1608S-100M-RC</a> | <a href="#">PM1608S-2R2M-RC</a> | <a href="#">PM1608S-6R8M-RC</a> | <a href="#">SRR6603-151ML</a> | <a href="#">SRR6603-470ML</a> |
| <a href="#">PM1608S-101M-RC</a> | <a href="#">PM1608S-330M-RC</a> | <a href="#">SRE6603-103M</a>    | <a href="#">SRR6603-152ML</a> | <a href="#">SRR6603-471ML</a> |
| <a href="#">PM1608S-102M-RC</a> | <a href="#">PM1608S-331M-RC</a> | <a href="#">SRE6603-152M</a>    | <a href="#">SRR6603-1R0ML</a> | <a href="#">SRR6603-472KL</a> |
| <a href="#">PM1608S-103M-RC</a> | <a href="#">PM1608S-332M-RC</a> | <a href="#">SRE6603-222M</a>    | <a href="#">SRR6603-1R5ML</a> | <a href="#">SRR6603-472ML</a> |
| <a href="#">PM1608S-150M-RC</a> | <a href="#">PM1608S-3R3M-RC</a> | <a href="#">SRE6603-332M</a>    | <a href="#">SRR6603-220ML</a> | <a href="#">SRR6603-4R7ML</a> |
| <a href="#">PM1608S-151M-RC</a> | <a href="#">PM1608S-470M-RC</a> | <a href="#">SRE6603-472M</a>    | <a href="#">SRR6603-221ML</a> | <a href="#">SRR6603-561ML</a> |
| <a href="#">PM1608S-152M-RC</a> | <a href="#">PM1608S-471M-RC</a> | <a href="#">SRE6603-682M</a>    | <a href="#">SRR6603-222ML</a> | <a href="#">SRR6603-680ML</a> |
| <a href="#">PM1608S-1R0M-RC</a> | <a href="#">PM1608S-472M-RC</a> | <a href="#">SRR6603-100ML</a>   | <a href="#">SRR6603-2R2ML</a> | <a href="#">SRR6603-681ML</a> |
| <a href="#">PM1608S-1R5M-RC</a> | <a href="#">PM1608S-4R7M-RC</a> | <a href="#">SRR6603-101ML</a>   | <a href="#">SRR6603-330ML</a> | <a href="#">SRR6603-682ML</a> |
| <a href="#">PM1608S-220M-RC</a> | <a href="#">PM1608S-680M-RC</a> | <a href="#">SRR6603-102ML</a>   | <a href="#">SRR6603-331ML</a> | <a href="#">SRR6603-6R8ML</a> |
| <a href="#">PM1608S-221M-RC</a> | <a href="#">PM1608S-681M-RC</a> | <a href="#">SRR6603-103ML</a>   | <a href="#">SRR6603-332ML</a> |                               |
| <a href="#">PM1608S-222M-RC</a> | <a href="#">PM1608S-682M-RC</a> | <a href="#">SRR6603-150ML</a>   | <a href="#">SRR6603-3R3ML</a> |                               |

Additionally, the marking method will change from manual screen-printing to inkjet printing, and the ink supplier will also change. The new supplier has been qualified and is included in the Bourns Authorized Vendor List.

As shown in the image on the next page, the form of the affected part numbers will change slightly due to the change in marking ink. The fit, function, quality, and reliability of the inductors will not be affected by the change. Traceability will be maintained through lot code and date code.

Samples are available upon request. Bourns recommends that customers test the affected part numbers in their specific applications for verification of satisfactory performance.

#### Implementation dates are as follows:

Date that deliveries of products manufactured with current processes will cease: **2027-02-28**

Date that deliveries of products manufactured with new automated process will begin: **2027-03-01**

First date code using the above changes: **2709**

If you have any questions or need additional information, please feel free to [contact Customer Service/Inside Sales](#).

Users should verify that the described changes will not impact the performance of the product in their specific applications.

IC26141

**Existing marking**



**Revised marking**



|                 |
|-----------------|
| PM1608S-100M-RC |
| PM1608S-101M-RC |
| PM1608S-102M-RC |
| PM1608S-103M-RC |
| PM1608S-150M-RC |
| PM1608S-151M-RC |
| PM1608S-152M-RC |
| PM1608S-1R0M-RC |
| PM1608S-1R5M-RC |
| PM1608S-220M-RC |
| PM1608S-221M-RC |
| PM1608S-222M-RC |
| PM1608S-2R2M-RC |
| PM1608S-330M-RC |
| PM1608S-331M-RC |
| PM1608S-332M-RC |
| PM1608S-3R3M-RC |
| PM1608S-470M-RC |
| PM1608S-471M-RC |
| PM1608S-472M-RC |
| PM1608S-4R7M-RC |
| PM1608S-680M-RC |
| PM1608S-681M-RC |
| PM1608S-682M-RC |
| PM1608S-6R8M-RC |
| SRE6603-103M    |
| SRE6603-152M    |
| SRE6603-222M    |
| SRE6603-332M    |
| SRE6603-472M    |
| SRE6603-682M    |
| SRR6603-100ML   |
| SRR6603-101ML   |
| SRR6603-102ML   |
| SRR6603-103ML   |
| SRR6603-150ML   |
| SRR6603-151ML   |
| SRR6603-152ML   |
| SRR6603-1R0ML   |
| SRR6603-1R5ML   |
| SRR6603-220ML   |
| SRR6603-221ML   |
| SRR6603-222ML   |
| SRR6603-2R2ML   |
| SRR6603-330ML   |
| SRR6603-331ML   |
| SRR6603-332ML   |
| SRR6603-3R3ML   |

|               |
|---------------|
| SRR6603-470ML |
| SRR6603-471ML |
| SRR6603-472KL |
| SRR6603-472ML |
| SRR6603-4R7ML |
| SRR6603-561ML |
| SRR6603-680ML |
| SRR6603-681ML |
| SRR6603-682ML |
| SRR6603-6R8ML |